Information for Table 7.1

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.384[a]	.148	.147	9.32738

a. Predictors: (Constant), sesq4_4, sesq4_3, sesq4_2

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	46.972	.133		354.019	.000
	sesq4_2	2.721	.186	.117	14.613	.000
	sesq4_3	5.314	.187	.228	28.475	.000
	sesq4_4	10.543	.187	.452	56.465	.000

a. Dependent Variable: X2TXMTSCOR

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.384[a]	.148	.147	9.32738

a. Predictors: (Constant), sesq4_4, sesq4_2, jsesq4_3

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	46.972	.133		354.019	.000
	sesq4_2	2.721	.186	.117	14.613	.000
	jsesq4_3	5.314	.187	.263	28.475	.000
	sesq4_4	5.229	.186	.224	28.161	.000

a. Dependent Variable: X2TXMTSCOR

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.384[a]	.148	.147	9.32738

a. Predictors: (Constant), sesq4_4, jsesq4_2, jsesq4_3

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	46.972	.133		354.019	.000
	jsesq4_2	2.721	.186	.116	14.613	.000
	jsesq4_3	2.593	.185	.128	14.003	.000
	sesq4_4	5.229	.186	.224	28.161	.000

a. Dependent Variable: X2TXMTSCOR

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.384[a]	.148	.147	9.32738

a. Predictors: (Constant), sesq4_4, jsesq4_3, sesjsum

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	46.972	.133		354.019	.000
	sesjsum	2.721	.186	.300	14.613	.000
	jsesq4_3	-.128	.321	-.006	-.399	.690
	sesq4_4	2.508	.263	.108	9.538	.000

a. Dependent Variable: X2TXMTSCOR

Information for Table 7.2

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.384[a]	.148	.147	9.32738

a. Predictors: (Constant), sesq4_4, jsesq4_2, jsesq4_3

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	46.972	.133		354.019	.000
	jsesq4_2	2.721	.186	.116	14.613	.000
	jsesq4_3	2.593	.185	.128	14.003	.000
	sesq4_4	5.229	.186	.224	28.161	.000

a. Dependent Variable: X2TXMTSCOR

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.384[a]	.148	.147	9.32738

a. Predictors: (Constant), sesq4_4, jsesq4_3, sesjsum

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	46.972	.133		354.019	.000
	sesjsum	2.721	.186	.300	14.613	.000
	jsesq4_3	-.128	.321	-.006	-.399	.690
	sesq4_4	2.508	.263	.108	9.538	.000

a. Dependent Variable: X2TXMTSCOR

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.378[a]	.143	.143	9.35310

a. Predictors: (Constant), sesjsum

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	46.475	.111		419.314	.000
	sesjsum	3.425	.059	.378	57.899	.000

a. Dependent Variable: X2TXMTSCOR

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.378[a]	.143	.143	9.35310

a. Predictors: (Constant), sesq4

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	43.050	.162		265.326	.000
	sesq4	3.425	.059	.378	57.899	.000

a. Dependent Variable: X2TXMTSCOR

Information for Table 7.3

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.398[a]	.158	.158	9.26840

a. Predictors: (Constant), x2ses_12

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	40.900	.186		219.494	.000
	x2ses_12	1.783	.029	.398	61.510	.000

a. Dependent Variable: X2TXMTSCOR

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.401[a]	.161	.161	9.25348

a. Predictors: (Constant), S_11_12, S_1_2, S_5_6, S_9_10, S_3_4, S_7_8

Coefficients[a]

Model		Unstandardized Coefficients B	Unstandardized Coefficients Std. Error	Standardized Coefficients Beta	t	Sig.
1	(Constant)	43.068	1.379		31.232	.000
	S_1_2	1.177	.732	.011	1.609	.108
	S_3_4	1.392	.171	.066	8.130	.000
	S_5_6	1.313	.112	.113	11.772	.000
	S_7_8	2.135	.119	.184	17.954	.000
	S_9_10	2.246	.161	.126	13.931	.000
	S_11_12	2.074	.386	.039	5.379	.000

a. Dependent Variable: X2TXMTSCOR

Information for Table 7.4

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.398[a]	.158	.158	9.26840

a. Predictors: (Constant), x2ses_12

Coefficients[a]

Model		Unstandardized Coefficients B	Unstandardized Coefficients Std. Error	Standardized Coefficients Beta	t	Sig.
1	(Constant)	40.900	.186		219.494	.000
	x2ses_12	1.783	.029	.398	61.510	.000

a. Dependent Variable: X2TXMTSCOR

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.401[a]	.161	.161	9.25348

a. Predictors: (Constant), S_11_12, S_1_2, S_5_6, S_9_10, S_3_4, S_7_8

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	43.068	1.379		31.232	.000
	S_1_2	1.177	.732	.011	1.609	.108
	S_3_4	1.392	.171	.066	8.130	.000
	S_5_6	1.313	.112	.113	11.772	.000
	S_7_8	2.135	.119	.184	17.954	.000
	S_9_10	2.246	.161	.126	13.931	.000
	S_11_12	2.074	.386	.039	5.379	.000

a. Dependent Variable: X2TXMTSCOR

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.401[a]	.161	.161	9.25348

a. Predictors: (Constant), S_11_12, D_1_2, D_9_10, D_7_8, D_5_6, D_3_4

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	43.068	1.379		31.232	.000
	D_1_2	1.177	.732	.263	1.609	.108
	D_3_4	.215	.808	.048	.266	.790
	D_5_6	-.079	.243	-.016	-.324	.746
	D_7_8	.823	.203	.112	4.044	.000
	D_9_10	.110	.246	.007	.448	.654
	S_11_12	-.171	.476	-.003	-.360	.719

a. Dependent Variable: X2TXMTSCOR

Information for Table 7.5

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.398[a]	.158	.158	9.26840

a. Predictors: (Constant), x2ses_12

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	40.900	.186		219.494	.000
	x2ses_12	1.783	.029	.398	61.510	.000

a. Dependent Variable: X2TXMTSCOR

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.401[a]	.161	.161	9.25348

a. Predictors: (Constant), S_11_12, S_1_2, S_5_6, S_9_10, S_3_4, S_7_8

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	43.068	1.379		31.232	.000
	S_1_2	1.177	.732	.011	1.609	.108
	S_3_4	1.392	.171	.066	8.130	.000
	S_5_6	1.313	.112	.113	11.772	.000
	S_7_8	2.135	.119	.184	17.954	.000
	S_9_10	2.246	.161	.126	13.931	.000
	S_11_12	2.074	.386	.039	5.379	.000

a. Dependent Variable: X2TXMTSCOR

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.401[a]	.161	.161	9.25348

a. Predictors: (Constant), S_11_12, S_1_2, S_7_8, S_3_4, S_9_10, x2ses_12

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	43.068	1.379		31.232	.000
	x2ses_12	1.313	.112	.293	11.772	.000
	S_1_2	-.136	.733	-.001	-.185	.853
	S_3_4	.079	.243	.004	.324	.746
	S_7_8	.823	.203	.071	4.044	.000
	S_9_10	.933	.187	.053	4.981	.000
	S_11_12	.761	.403	.014	1.890	.059

a. Dependent Variable: X2TXMTSCOR

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.401[a]	.161	.161	9.25348

a. Predictors: (Constant), S_11_12, S_1_2, S_5_6, S_9_10, S_3_4, x2ses_12

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	43.068	1.379		31.232	.000
	x2ses_12	2.135	.119	.476	17.954	.000
	S_1_2	-.958	.742	-.009	-1.291	.197
	S_3_4	-.744	.200	-.035	-3.715	.000
	S_5_6	-.823	.203	-.071	-4.044	.000
	S_9_10	.110	.246	.006	.448	.654
	S_11_12	-.061	.395	-.001	-.155	.877

a. Dependent Variable: X2TXMTSCOR

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.401[a]	.161	.161	9.25265

a. Predictors: (Constant), S_7_12, S_1_6

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	42.851	.299		143.360	.000
	S_1_6	1.329	.062	.161	21.570	.000
	S_7_12	2.170	.055	.296	39.698	.000

a. Dependent Variable: X2TXMTSCOR

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.401[a]	.161	.161	9.25265

a. Predictors: (Constant), S_7_12, x2ses_12

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	42.851	.299		143.360	.000
	x2ses_12	1.329	.062	.297	21.570	.000
	S_7_12	.841	.101	.115	8.342	.000

a. Dependent Variable: X2TXMTSCOR

Information for Table 7.6

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.403[a]	.162	.162	9.24716

a. Predictors: (Constant), X2SES

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	51.138	.066		778.914	.000
	X2SES	5.455	.087	.403	62.397	.000

a. Dependent Variable: X2TXMTSCOR

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.406[a]	.165	.165	9.23180

a. Predictors: (Constant), S06, S01, S03, S05, S02, S04

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	43.845	.841		52.150	.000
	S01	2.908	1.424	.015	2.041	.041
	S02	4.722	.506	.089	9.327	.000
	S03	3.963	.380	.115	10.433	.000
	S04	7.322	.433	.191	16.897	.000
	S05	6.548	.652	.097	10.036	.000
	S06	5.602	1.959	.021	2.860	.004

a. Dependent Variable: X2TXMTSCOR

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.406[a]	.165	.165	9.23180

a. Predictors: (Constant), S06, S01, S04, S02, S05, X2SES

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	50.780	1.030		49.305	.000
	S01	-1.055	1.422	-.006	-.742	.458
	S02	.759	.784	.014	.968	.333
	X2SES	3.963	.380	.292	10.433	.000
	S04	3.360	.730	.088	4.602	.000
	S05	2.585	.701	.038	3.690	.000
	S06	1.639	2.009	.006	.816	.415

a. Dependent Variable: X2TXMTSCOR

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.406[a]	.165	.165	9.23180

a. Predictors: (Constant), S06, S01, S03, S05, S02, X2SES

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	56.660	1.144		49.521	.000
	S01	-4.415	1.504	-.023	-2.935	.003
	S02	-2.601	.615	-.049	-4.229	.000
	S03	-3.360	.730	-.098	-4.602	.000
	X2SES	7.322	.433	.540	16.897	.000
	S05	-.774	.972	-.012	-.797	.426
	S06	-1.721	1.948	-.007	-.883	.377

a. Dependent Variable: X2TXMTSCOR

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.406[a]	.165	.165	9.23151

a. Predictors: (Constant), S_04_06, S_01_03

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	43.135	.254		169.892	.000
	S_01_03	4.277	.166	.195	25.727	.000
	S_04_06	6.897	.194	.269	35.573	.000

a. Dependent Variable: X2TXMTSCOR

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.406[a]	.165	.165	9.23151

a. Predictors: (Constant), S_04_06, X2SES

Coefficients[a]

Model		Unstandardized Coefficients B	Unstandardized Coefficients Std. Error	Standardized Coefficients Beta	t	Sig.
1	(Constant)	50.621	.090		560.468	.000
	X2SES	4.277	.166	.316	25.727	.000
	S_04_06	2.619	.315	.102	8.325	.000

a. Dependent Variable: X2TXMTSCOR

Information for Table 7.7

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	16115.116[a]	.093	.157

a. Estimation terminated at iteration number 5 because parameter estimates changed by less than .001.

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 1[a]	x2ses_12	.392	.009	1705.846	1	.000	1.480
	Constant	-4.220	.071	3522.921	1	.000	.015

a. Variable(s) entered on step 1: x2ses_12.

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	16091.383[a]	.094	.159

a. Estimation terminated at iteration number 6 because parameter estimates changed by less than .001.

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 1[a]	S_1_2	-.307	.492	.388	1	.533	.736
	S_3_4	.596	.106	31.320	1	.000	1.814
	S_5_6	.445	.042	110.808	1	.000	1.561
	S_7_8	.411	.033	153.353	1	.000	1.508
	S_9_10	.324	.037	75.009	1	.000	1.383
	S_11_12	.215	.084	6.561	1	.010	1.240
	Constant	-3.293	.927	12.627	1	.000	.037

a. Variable(s) entered on step 1: S_1_2, S_3_4, S_5_6, S_7_8, S_9_10, S_11_12.

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	16091.383[a]	.094	.159

a. Estimation terminated at iteration number 6 because parameter estimates changed by less than .001.

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 1[a]	D_1_2	-.307	.492	.388	1	.533	.736
	D_3_4	.902	.541	2.779	1	.095	2.466
	D_5_6	-.151	.129	1.365	1	.243	.860
	D_7_8	-.034	.066	.271	1	.603	.966
	D_9_10	-.087	.062	1.971	1	.160	.917
	S_11_12	-.109	.105	1.073	1	.300	.897
	Constant	-3.293	.927	12.627	1	.000	.037

a. Variable(s) entered on step 1: D_1_2, D_3_4, D_5_6, D_7_8, D_9_10, S_11_12.

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	16096.327[a]	.094	.158

a. Estimation terminated at iteration number 6 because parameter estimates changed by less than .001.

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 1[a]	S_1_8	.441	.015	863.325	1	.000	1.554
	S_9_12	.289	.026	127.808	1	.000	1.335
	Constant	-4.500	.098	2101.420	1	.000	.011

a. Variable(s) entered on step 1: S_1_8, S_9_12.

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	16096.327[a]	.094	.158

a. Estimation terminated at iteration number 6 because parameter estimates changed by less than .001.

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 1[a]	x2ses_12	.441	.015	863.325	1	.000	1.554
	S_9_12	-.152	.035	18.783	1	.000	.859
	Constant	-4.500	.098	2101.420	1	.000	.011

a. Variable(s) entered on step 1: x2ses_12, S_9_12.